

INSTALLATION & OPERATION MANUAL

OLKIT

Code 3, Inc., a subsidiary of
Public Safety Equipment, Inc.



OSCILASER RETROFIT KIT

Contents:


Installation & Mounting	2-3
Product Returns	4

IMPORTANT:

Read all instructions and warnings before installing and using.

INSTALLER: *This manual must be delivered to the end user of this equipment.*

Remove the reflector from carriage (save the 2 1/4 inch hex screws) and discard.



Desolder both wires at motor, discard gray flex wire, save red wire with grommet.


Cut **gray** ground wire and discard.

Drill one 9/64 hole in bracket as shown. Measure down 1 inch from edge and center in the bracket.




Install new ground jumper as shown.






Install new reflector. Attach ground jumper and positive feed wire.

Detail of solder joint showing direction of wires.



Note gap between ground wire and plastic carriage. Angle the ring terminal such that the wire and the carriage do not interfere.



Solder positive wires to motor, solder flat, do not twist the wires together. Install in housing, connect power and ground wire.

WARRANTY

Code 3, Inc. emergency devices are tested and found to be operational at the time of manufacture. Provided they are installed and operated in accordance with manufacturer's recommendations, Code 3, Inc. guarantees all parts and components except the lamps to a period of 1 year (unless otherwise expressed) from the date of purchase or delivery, whichever is later. Units demonstrated to be defective within the warranty period will be repaired or replaced at the factory service center at no cost.

Use of lamp or other electrical load of a wattage higher than installed or recommended by the factory, or use of inappropriate or inadequate wiring or circuit protection causes this warranty to become void. Failure or destruction of the product resulting from abuse or unusual use and/or accidents is not covered by this warranty. Code 3, Inc. shall in no way be liable for other damages including consequential, indirect or special damages whether loss is due to negligence or breach of warranty.

CODE 3, INC. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY INCLUDING, WITHOUT LIMITATION, WARRANTIES OF FITNESS OR MERCHANTABILITY, WITH RESPECT TO THIS PRODUCT.

PRODUCT RETURNS

If a product must be returned for repair or replacement*, please contact our factory to obtain a Return Goods Authorization Number (RGA number) before you ship the product to Code 3, Inc. Write the RGA number clearly on the package near the mailing label. Be sure you use sufficient packing materials to avoid damage to the product being returned while in transit.

*Code 3, Inc. reserves the right to repair or replace at its discretion. Code 3, Inc. assumes no responsibility or liability for expenses incurred for the removal and /or reinstallation of products requiring service and/or repair.; nor for the packaging, handling, and shipping; nor for the handling of products return to sender after the service has been rendered.

NEED HELP? Call our Technical Assistance Hotline - (314) 996-2800

Code 3, Inc., a subsidiary of
Public Safety Equipment, Inc.



Code3, Inc.
10986N.WarsonRoad
St.Louis, Missouri 63114-2029—USA
www.code3pse.com