

CODE 3 Installation and Operation Instructions UPPER NARROWSTIK MOUNTING

2015 CHEVROLET TAHOE



INSTALLATION PROCEDURE:

1. Remove upper trim panel at rear tailgate area by pulling straight down. Spring clips from panel into inner body surfaces are spaced across panel. (note not all clip locations are utilized by the OEM building processes.)



Example of Un-used clip locations



DO NOT REMOVE existing tailgate flange nuts from tailgate hinges. Doing so can create a leak path for water ingress.

Mounting brackets are made to be installed over existing hinge mounting flange nuts on the threaded studs.

IMPORTANT:

Read all instructions and warnings before installing and using.

INSTALLER:

This manual must be delivered to the end user of this equipment.

2. Install mounting brackets with horizontal flange facing toward front of vehicle.



Driver Side



Fwd



Passenger Side

3. Use T57016 mounting kit hardware bag provided in kit, containing (4) lock washers and (4) hex nuts. Using #13mm drive socket, 6" extension and socket wrench.

4. Once brackets are in place, mark inside of trim cover for cutting slots in trim for brackets.

5. Cut trim panel with (2) 2" long, .2 wide slots for mounting brackets as indicated in pictures below:



Driver Side



Passenger Side

6. Install trim panel over mounting brackets and tap panel clips back into ceiling slots on vehicle body.

7. Install 39" Narrowstik onto mounting slots of brackets using carriage bolts supplied.

8. Place level onto Narrowstik cover and check levelness across vehicle.



9. Adjust Narrowstik level in slots of brackets and tighten with wrench.



**COMPLETED
INSTALLATION**

PARTS LIST:

NO:	PART NO:	DESCRIPTION:	QTY:
1.	S31330	BRACKET	2
2.	T57016	HARDWARE BAG	1

WARRANTY

This product was tested and found to be operational at the time of manufacture. Provided this product is installed and operated in accordance with the manufacturer's recommendations, CODE3, Inc. guarantees this product for a period of 5 years from the date of purchase or delivery, whichever is later (does not apply to lamps). Units demonstrated to be defective within the warranty period will be repaired or replaced at the factory service center at no cost.

Use of a lamp or other electrical load of a wattage higher than installed or recommended by the factory, or use of inappropriate or inadequate wiring or circuit protection causes this warranty to become void. Failure or destruction of the product resulting from abuse or unusual use and/or accidents is not covered by this warranty. Use of non-CODE 3 components and assemblies may cause damage to the system and/or personal injury, and voids all warranties.

CODE 3, Inc. shall in no way be liable for other damages including consequential, indirect or special damages whether loss is due to negligence or breach of warranty.

CODE 3, INC. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY INCLUDING, WITHOUT LIMITATION, WARRANTIES OF FITNESS OR MERCHANTABILITY, WITH RESPECT TO THIS PRODUCT.

PRODUCT RETURNS

In order to provide you with faster service, if you are going to return a product for repair or replacement*, please contact our factory to obtain a Return Goods Authorization Number (RGA number) before you ship the product to Code 3. Write the RGA number clearly on the package near the mailing label. Be sure you use sufficient packing materials to avoid damage to the product being returned while in transit.

*Code 3, Inc. reserves the right to repair or replace product at its discretion and assumes no responsibility or liability for expenses incurred for the removal and/or reinstallation of products requiring service and/or repair.

NEED HELP? Call our Technical Assistance HOTLINE - (314) 996-2800



10986 North Warson Road
St. Louis, MO 63114
Customer Service
(314) 426-2700
cs-c3@code3esg.com
www.code3esg.com

A Division of ESG | www.eccogroup.com